



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

A N
I N D E X
T O T H E
Sixty-First V O L U M E
O F T H E
Philosophical Transactions.

For the YEAR 1771.

A.

ACIDS, their use in putrid diseases, p. 339. Objections to them answered, p. 340, &c.

Agnano, its lake is the remains of a volcanoe, p. 15, 16.

Air is a non-conductor of electricity, p. 649. Plate of, electrified, p. 673.

Alkali volatile produced by putrefaction, p. 333. Improper in putrid disorders, p. 338.

Alcborne, Mr. Stanesby, his account of the fifty Chelsea plants for 1770, p. 390, &c.

Aphides, a numerous class of insects, p. 183. Description of those growing on the rose trees, p. 184. Viviparous in the spring and summer, and oviparous at the end of the

- the year, p. 185. Their increase by successive generations, p. 186, 187. No males but in the last brood, p. 188. Their copulation, 190, 191. Produce of their eggs, p. 192. Their prodigious fecundity, p. 193.
- Atergatis*, a Phœnician deity, p. 346. The same with Dagon, *ibid*.
- Athens*, no copper coined there before the end of the Peloponesian war, p. 469. Coined no gold, p. 471.
- Attic* drachm, heavier than the denarius, p. 463. 528. Was both a piece of money and a weight, p. 468. Was the most famous for fineness and justness, p. 469. Its weight, p. 480. 483. Its worth, p. 523. Lowered when Greece was reduced by the Romans, p. 530.
- Attraction* and repulsion of electrified bodies accounted for, p. 653.
- As*, Etruscan, struck at Volaterra, p. 85, 86.
- As*, Roman, its value, p. 519.
- Avernus*, the lake, had formerly a communication with the sea, p. 28. Fills the bottom of the crater of a mountain produced by explosion, p. 32.
- Aureus*, Roman, erroneously supposed double the weight of the Denarius, p. 464. Its real weight, p. 502.
- Aurum Mosaicum*, a preparation of tin described by Mr. Woulfe, p. 114, 115.

B.

- Babylonian* talent, its weight, p. 488.
- Barbora* or *Gauro*, a mountain formed by an eruption, p. 31.
- Barker*, Thomas, Esq; observations on the quantities of rain at Lyndon in Rutlandshire, p. 221. 227, &c.
- Barrington*, Hon. Daines, persists in his opinion about the chestnut trees, p. 167. A new observation of his on that subject, p. 168. Account of a new mole from North America, p. 292. Account of experiments made

- made in North Wales, to ascertain the quantities of rain, at different heights, p. 294.
- Basalt* rocks in Haffia, p. 580. Their nature, p. 581. Probably the produce of volcanoes, p. 582.
- Batavia*, its latitude and longitude determined, p. 435.
- Beccaria*, Mr. John Baptist, his experiments with Mr. Canton's phosphorus, p. 212.
- Bergtus*, Professor Jonas, description of a new plant from the East Indies, p. 289, 290.
- Bivalve* insects, distinct from bivalve shell-fish, p. 30.
- Borlase*, Dr. William, meteorological observations for 1770, p. 195.
- Bracini*, his account of the crater of Vesuvius before the eruption of 1631, p. 11.
- Busolo*, a wild ox, native of Tuscany, p. 84.

C.

- Calculation* of solar eclipses very operose in the common manner, p. 437. Simplified by Kepler, *ibid.* Demonstrated and extended by Dr. Pemberton, p. 438, &c.
- Cam*, the river, not frozen by a remarkable degree of cold, p. 213.
- Cambridge*, observations made on a remarkable cold there, p. 213, 214, &c.
- Canton*, Mr. John, experiments made with his phosphorus, p. 212.
- Caprea*, island of, not formed by eruption, p. 14.
- Carp*, whether only a fresh-water fish, p. 311. How to manage them properly, p. 313. Which are the best for breeding, p. 316. Manner of their spawning, p. 317. Mix with other fish, and produce mules, p. 318. Quickness of their growth, p. 321. How to be fed in cellars, p. 323. Will live a great while out of water, p. 324.
- Crusians*, the same fish with the rud or fin-scale, p. 318.

- Cavendish*, Hon. Henry, attempts to explain the phænomena of electricity, p. 584. His hypothesis, p. 585. Its consequences, p. 586, &c.
- Chalcus*, disputes about its value, p. 470.
- Chelsea* fifty plants of the garden for 1770, p. 390.
- Chestnut* tree, whether indigenous in England, p. 136, &c. found spontaneously growing in several woods, p. 140. How called by the Saxons, p. 147. Thought to have been used in most of the old edifices in England, p. 137, 157. Why disused since, p. 149. 159.
- Chinese* stoves, described by Father Gramont, p. 61, &c. Their general construction, p. 62, 63. Their differences, *ibid.* Their advantages, p. 67.
- Cochinchina*, a map of that kingdom, and of Cambodia, undertaken by Father Loreyro, p. 59, 60.
- Coins*, Greek and Roman, examined, p. 462.
- Coin*, a Punic, described by Mr. Swinton, 78. With the Latin monogram vab (vabar), p. 79. Siculo-Punic explained by Mr. Swinton, 91.
- Coins* struck in Phœnicia before Alexander the Great, p. 345, &c.
- Cold*, a remarkable one at Cambridge, p. 213. Perhaps occasioned by the solution of water in air, p. 215. Its effects upon various saline solutions, p. 217. A very great one in Normandy, p. 287. And at Glasgow, p. 327.
- Colors*, particular transmitted to, and reflected by, Mr. Canton's phosphorus, p. 212.
- Comet*, new, observed at Paris, by Mr. Messier, p. 104. Its elements by Mr. Pingré, p. 106.
- Compass*, its variation observed in the South Seas, p. 422.
- Conductors* in electricity distinguished from non-conductors, p. 649.
- Congius Roman*, its measure, p. 494, 495.
- Consular silver*, its inequalities among the Romans, p. 505.

- Cooke*, Lieut. James, astronomical observations in the South Seas, p. 397. His observations of the variation of the compass in the South Seas, p. 422.
- Crell*, Professor, F. L. F. experiments on putrefaction, p. 332.

D.

- Dagon*, a Deity of the Philistines, p. 347. Called Atergatis in Phœnicia, *ibid*.
- Daric*, the Persian, was the gold coin used at Athens in ancient times, p. 474.
- Dean*, Forest of, formerly abounding in chesnut-trees, p. 142. Whether any there still, p. 145, 146.
- Denarius*, Roman, of various kinds, p. 490. Its mean weight, p. 508. Its diminution under the Emperors, p. 509.
- De Visnes*, Mr. Stephen, letter on the manner in which the Chinese heat their rooms, p. 59.
- Distances* of the planets from the sun, p. 579.
- Dollond*, Mr. has improved his micrometer, p. 538.
- Ducarel*, Dr. on chesnut-trees in England, p. 136. Thinks that the timber of that tree was used in the construction of ancient houses in London and elsewhere, p. 137. 157.

E.

- Earthquakes* produced by the same causes which bring on explosions, p. 29.
- Eclipses Solar*, see *Calculation*.
- Edwards*, Mr. George, description of a bird from the East Indies, p. 55.
- Egeinean talent*, its weight, p. 483. Was the standard of the Macedonian money, p. 484. And of the Ptolemaic money in Egypt, *ibid*.

Eisenschmid, analysis of his book, *De Ponderibus & mensuris veterum*, p. 464.

Elden hole, a remarkable cavern in Derbyshire, p. 251, &c.

Electricity explained by means of an elastic fluid, p. 584.
Comparison of the theory with experiment, p. 649.

Epsilon, Greek, its ancient form, p. 99.

Equatorial telescope, invented and described by Mr. Nairne, p. 107. Its uses, p. 109, &c.

Eruptions of lavas, their dates may be in some measure ascertained by the strata of good mould lying between different beds of pumice stones, p. 6.

Etna, an eruption of this mountain at hand, p. 42.

Etruscan letters, the first alphabetical in Italy, p. 88.

Euboic talent, came from Asia, p. 486. Its proportion to the Attic, p. 486.

F.

Falernian wine where produced, p. 32.

Fluents assignable by arcs of Conic Sections, how to be computed, p. 298.

Follis, what it was, p. 515.

Forster, Mr. John Reinhold, on the management of carp in Polish Prussia, p. 310.

G.

Garden, Dr. his account of a new turtle sent over by him from South Carolina, p. 267.

Generation, insufficiency of the systems on, p. 193, 194.

George Island, in the South Seas, its latitude, p. 406.
Longitude, p. 409. Transit of Venus observed, p. 410, &c. Dip of the needle observed, p. 420. Observations of the tides, p. 420.

Gold, its value in Greece and Rome, p. 517. Its proportion to silver in different times, p. 518. 522.

Gold,

- Gold*, scarce in ancient Greece, p. 472. Common after the times of Philip of Macedon, p. 473.
- Gorsuch*, Rev. William, Register of mortality for ten years, at Holy Cross in Salop, p. 57.
- Gramont*, Father, description of the Chinese stoves, p. 61.
- Greaves*, his labours on ancient coins analysed, p. 463, 464.
- Greeks*, had no money at the time of the Trojan war, p. 527.
- Green*, Mr. Charles, observations at George Island in the South Sea, p. 397. Died at Batavia, p. 421.

H.

- Hamilton*, Sir William, K. B. remarks upon the nature of the soil of Naples, and its neighbourhood, p. 1—48.
- Hanly*, Dr. Peter, account of a sccatomous tumor, p. 131.
- Hasted*, Edward, Esq; on the chefnut tree's being indigenous in England, p. 160.
- Heberden*, Dr. William, his note on the difference in the quantity of rain at different distances from the earth, p. 297.
- Herculaneum*, in some parts 120 feet, and in no part less than 70 feet, below ground, p. 3. Covered with the matter of six different eruptions over that which destroyed it, p. 7.
- Hornby*, Rev. Professor, determination of the sun's parallax from the observations of the last transit of Venus, p. 574.
- Horse*, running, its price in Greece, p. 528.
- Horsley*, Rev. Samuel, problems, on the density of a crust composed of spherical particles upon the surface of a globe, p. 558.
- Howard*, John, Esq; observations on the heat of the ground on Mount Vesuvius, p. 53.

Hunter, Dr. William, his account of the Nyl-ghau, an Indian animal, p. 170.

Hygrometer, new invented by Mr. Smeaton, p. 198. Made with flaxen cords, p. 199. Description of it, p. 201. Observations made with it, p. 207, 208. Is not a measurer of the absolute quantity of moisture contained in the air, p. 209. But of the disposition of the air to precipitate or imbibe water, p. 210.

I.

Ice, its evaporation, p. 329.

Indigenous plants found in several parts of England, p. 359, &c. Difficult to be distinguished, p. 385.

Indigo, used to make the Saxon blue, p. 128. and a yellow die, p. 129.

Instructions, given to the observers of the transit of Venus, p. 545.

Ischia, island, formed by eruptions, p. 34. Its baths, p. 35.

K.

Kang, see *Chinese stoves*.

Kepler's compendium for computing Solar Eclipses demonstrated and extended, p. 437, &c.

King, Edward, Esq; his observations on the cavern of Elden-hole in Derbyshire, p. 256. His conjecture about a subterraneous river at the bottom of the cavern, p. 258—265.

L.

Landen, Mr. John, on fluents assignable by arcs of Conic Sections, p. 298.

Lava, a foul vitrified matter, produced by eruptions and very different from the tufa, p. 7.

Leyden-

Leyden vial, its phænomena described, p. 668.

Lloyd, Mr. account of Elden-hole in Derbyshire, p. 251.

Luc, Mr. de, has invented a new method of observing the elevation of places by means of the Barometer, p. 284.

M.

Mac Bride, his objections to the use of acids in putrid disorders, p. 339. Examined by Professor Crell, p. 340, 341.

Maskeline, Rev. Nevile, his calculations of the Astronomical observations in the South Seas, p. 405, 406, &c. His improvements of Dollond's Micrometer, p. 536.

Menæ, a town in Sicily, p. 97, 98.

Messier, Mr. on a new Comet, p. 104.

Mercury, its transit over the Sun observed at Cambridge New England, p. 51.

Meteorological observations at Ludgvan in Cornwall, for 1770, p. 195. At Caen in Normandy by Mr. Pigott, p. 274.

Micrometer, Dollond's, improvement and new applications, p. 536.

Miliarenfis, a coin introduced by Constantine, p. 511. Its weight, p. 513. 515. Its worth, p. 526.

Mina, worth a hundred drachms, p. 468.

Mofetes, see *Vapours*.

Mobr, Mr. John Mauritz, observes the transit of Venus at Batavia, p. 433. And that of Mercury, p. 435.

Mole, a new, from North America, described by Mr. Barrington, p. 292.

Monocle, a bivalve insect mentioned by Linnæus and Geoffroy, p. 231. Described before by Mr. Baker, p. 232. A new species of it likewise described, p. 232. A catalogue of the different species hitherto known, p. 243.

Monro,

Monro, Dr. Donald, account of the natron from Tripoli, p. 567.

Monte nuovo, accounts of the explosion, which produced it, p. 20—26.

Mountains, how to distinguish those which do, from those which do not, rise by subterraneous fires, p. 13.

Muller, Mr. observations on some b. valve insects near Copenhagen, p. 230.

Museum, British, very rich in ancient coins, p. 463, 467, &c.

N.

Nairne, Mr. Edward, description of a new Equatorial Telescope, 107.

Naples, its soil, together with that of the country twenty miles round the production of subterraneous fires, p. 2, 3, &c.

Natron of the ancients, its uses, p. 567. Its nature, p. 568. Found native in Egypt and near Smyrna, p. 569. Got at the Pic of Teneriffe, p. 570. In a crystalline form at Tripoli, p. 570. Its description, p. 571.

Nonagesime degree, how to be computed, p. 428, &c.

Nyctanthes elongata, a new plant from East India, described by Professor Bergius, 289.

Nyl-ghau, an Indian animal, of the ruminant kind, p. 170. Description of it, p. 171. Its manners, p. 175. A different species from the Ox, the Deer, and the Antelope, p. 178. Where found, p. 179. Origin of its name, p. 180.

P.

Parallax Solar, deduced from the observations of the transit of Venus, p. 574, &c.

Pemberton, Dr. Henry, Kepler's method of computing the

- the Moon's parallaxes in Solar Eclipses demonstrated and extended, p. 437, &c.
- Pennant*, Thomas Esq; account of two new tortoises, p. 266.
- Persian* coins, bear the effigies of the kings, p. 352.
- Philippic*, its weight, p. 475, &c.
- Pigott*, Nathanael Esq; his Meteorological observations at Caen in Normandy, p. 274, &c.
- Points*, effects of, in causing a quick discharge of electricity accounted for, p. 662.
- Pompeii*, buried ten or twelve feet deep, p. 3. Has felt the effect of one eruption only, p. 4. Which was fatal to many of its inhabitants, p. 4. Covered with a stratum of pumice and burnt matter, and above that with two feet of good mould, p. 5. Its streets were paved with lava, *ibid*.
- Positive* electricity, how distinguished from negative, p. 652, 653.
- Pound*, Roman, its division, p. 492. Its weight, 495.
- Pumice* stone is marble and alabaster in its infant state, p. 48. Produced from bitumen, p. 49.
- Putrefaction*, produces a volatile alkali, p. 333. Experiments made to ascertain it, p. 334, 335.
- Puzzolane*, a fine burnt material, entering in the composition of the Tufa, p. 7. A lime prepared by nature, p. 8.

R.

- Rain*, difference of its quantity at different heights observed in North Wales, p. 294. That quantity depends upon the distance from the earth, and scarcely upon the height of places, p. 296.
- Raper*, Matthew, Esq; on Greek and Roman coins, p. 462.
- Raspe*, Mr. R. S. account of Basalt-hills in Russia, p. 580.
- Richardson*, Dr. William, on the Aphides, p. 182.
- Roman Soldier's* pay, p. 519, &c.

S.

- Sagittarius*, a new bird from the East Indies, described by Mr. Edwards, p. 55.
- Salts*, their comparative powers in resisting congelation, p. 218.
- Saxon* blue, made in the best manner, p. 128.
- Scruple* Roman, its weight, p. 490. Its variations, p. 500, &c.
- Sea* coals used in China, p. 70.
- Sea*, formerly reached the mountains between Capua and Caferta, p. 2, 3, &c.
- Seeds*, whether they can remain many ages in an inert state of fecundity, p. 386.
- Segesta*, a maritime Sicilian city, p. 93. A Punic coin of that city, *ibid*.
- Sefterce*, its weight, p. 524. Value, p. 525.
- Shells*, several hypotheses on their formation, p. 239.
- Smeaton*, Mr. John, description of a new Hygrometer, p. 196.
- Soil* of Naples, produced by explosions, p. 15.
- Soft*, shelled tortoise described by Dr. Garden, p. 267; and by Mr. Pennant, p. 268, &c.
- Solfaterra*, formerly a volcano, p. 17. 48. 49. Its antient name Forum Vulcani, p. 19.
- Somma*, the Vesuvius of the antients, p. 12. 25. took its rise from the bottom of the sea, p. 13.
- Stabia*, place where Pliny the elder lost his life, p. 5.
- Stamford*, in Lincolnshire, its latitude ascertained, p. 238.
- Stater*, or tetradrachm, the most common Attic coin now remaining, p. 480.
- Steatomous* tumor in the abdomen of a woman, p. 132.
- Stips uncialis*, Etruscan weight, described by Mr. Swinton, p. 87- 88, Anterior to the refuge of the Tarquins, p. 89.

San, its distance from the earth, p. 579.

Swinton, Rev. John, Explicatron of a Punic or Phœnician coin, p. 78. Remarks upon two Etruscan weights, p. 82. Interpretation of two Punic Inscriptions, p. 91. Observations upon five ancient Persian coins, p. 345.

T.

Talent, contained sixty minas, p. 468.

Talent, its value, p. 523. See *Babylonian*, *Egeian*, *Euhoic*.

Tetradrachm, see *Stater*.

Tborp, Mr. his Examination of Mr. Barrington's opinion concerning chefnut trees, p. 152.

Thunder storm, remarkable at St. Keverne, in Cornwall, p. 71, &c.

Tides observed at George Island, p. 428.

Tortoises, two new, described by Mr. Pennant, p. 266.

Transit of Venus, observed at George Island, p. 410. and at Batavia, p. 433. Of Mercury, observed by Mr. Green, and Capt. Cook, in the South Seas, p. 432. at Batavia, p. 435.

Tuberculated tortoise described by Mr. Pennant, p. 271.

Tufa, or Naples stone, composed of pumice ashes, and burnt matter, p. 7. Has taken the impresson of the head of an ancient statue dug out at Herculaneum, p. 8.

Tyson, Mr. Michael, account of a singular fish, p. 247.

V.

Vabar. A Carthaginian sea town in Mauritania, p. 79. A coin struck there, while in the possession of the Romans, p. 80.

- Vapours*, rising from Volcanoes, pernicious to animals
p. 16. 33. 41. Corresponding with fixt air, *ibid*.
Ventaroli, cold subterraneous winds, p. 35.
Vesuvius, a great channel, through which nature dis-
charges some foul humours of the earth, p. 11. Its cone
raised by eruptions, p. 12. Heat of the ground on the
mountain, p. 53.
Virgin soil, none near Vesuvius, p. 13.
Volcanoes owe their existence to subterraneous fires, p. 2.
Frequently throw up water mixed with the ashes, p. 9.
the matter of their eruptions lies very deep, p. 29, 30.
their smoke contains a portion of electrical matter, p. 40.

W.

- Waring*, Richard Hill Esq; on indigenous plants of
England, p. 359.
Water thrown out by Mount Etna, and other volcanoes,
in the beginning of eruptions, p. 9. Boiling, rushes
out of the rock of Pisciarelli near the Solfaterra, p. 18.
Water, rarefied and turned into an elastic fluid by electri-
city, 675.
Watson, Professor Robert, on the effects of a remarkable
cold, 213.
Wilson, Professor, account of a remarkable cold at
Glasgow, p. 326.
Winthrop, Professor, his observation of the transit of
Mercury in new England, p. 51.
Wollaston, Rev. Account of the going of his clock, p. 559.
Some of his Astronomical observations, p. 565.
Woulfe, Mr. Peter, experiments on the Aurum Mosaicum,
p. 114. Method of dying wool and silk of a yellow
colour with indigo, p. 129.
Weights, Etruscan, described by Mr. Swinton, p. 82. 87.

Williams,

Williams, Rev. Mr. account of a remarkable thunder storm,
p. 71, 72.

Y

Yellow dies, by means of Indigo, described by Mr.
Woulfe, p. 129.

Z.

Zebra, a new fish brought over by Commodore Byron,
and described by Mr. Tyson, p. 247. A species of
perch, 248.

* * The Number of P L A T E S in this Volume is
Twenty-two.

F I N I S.